


alphabet
bruck

NEW

PROJECTS

ESSENTIALS

ru



Budget Conscious Solution

Premium Performance

1% Dimming



NEW
ESSENTIALS FOR YOUR PROJECT

nu


VARIABLE WALL WASH

Light Uniformity With No Scalloping

Control Where The Light Is Most Intense Anywhere On The Wall



SUPERIOR WALL WASHING



3 1/2" Height

DOUBLE JOINTED DRIVER FOR
SHALLOW PLENUM CLEARANCE

LoPro

Up To 2400 LM

10° - 70° Beam Spreads

Downlight, Adjustable, Wall Wash



standard white



warm dim



Deep regress

2 1/2" Deep Regress Bezel

38° Cut Off Angle

Up To 3000 LM Delivered

15° - 55° TIR Optics



standard white



xtm



warm dim



tunable white



sunlike

TAMPER RESISTANT

Created For Behavioral Health Applications

Meets NYS-OMH Requirements

NU Series 4" & 6"

Downlight, Adjustable, Wall Wash



ANTIMICROBIAL


Available Finish For NU & BETA Series

Inhibits Growth Of Microorganisms




IDEAL FOR HEALTH
CARE FACILITIES

BETA 6 SQUARE ADJUSTABLE
RIGID PENDANT




BETA 4 SQUARE
SURFACE



NU Features In A BETA Body

3", 4" & 6"

Round & Square



BETA 3 SQUARE
WALL

BETA

Unlimited
COLORS FOR





Up To 10,000 LM

16" Acrylic Shade

2700K, 3000K, 3500K, 4000K



16,000 LM - 22,000 LM

4000K, 4500K, 5000K


0 - 10V Dimming

Emergency Battery Backup &
Occupancy Sensor




Unlimited
CREATIVITY

DELTA.



RECESSED 36


SURFACE DIRECT / INDIRECT 12



jazz

LED LUMINAIRE

SURFACE 24



PENDANT 16



Light Beam: Direct & Direct/Indirect

Standard Finishes: Black, White & Matte Chrome

Options: Round Or Square

Mounting: Pendant, Recessed & Surfaced

Sizes: 12" 16" 24" & 36"



CHOOSE
YOUR RAL

Stucchi™

48V Robust Track System

Integrated Databus For 0 - 10V & DALI

Flush Mounted Track Adapter & Power Feed



MOTO
LIGHT IN MOTION

Motorized Pan + Tilt

Motorized Zoom

Variety Of Optics



standard white




tunable white


COBRA

SERIES

COBRA FLEX
1650 LM PER FT




COBRA MINI
890 LM PER FT



LINEALUCE
1700 LM PER FT



MINI LINEALUCE
800 LM PER FT



COBRA OUTDOOR
1300 LM PER FT



Rigid + Flexible

Precision Optics



MICRO

LINE


STRAIGHT



CORNER MOUNT



CHAIN



3 Sizes: 7mm x 7mm, 10mm x 10mm & 14mm x 14mm

Rigid + Flexible

Lengths From 2" to 48"



after8

Power Over Supports

Black, Bronze & Graphite Gray

Continuous Up & Down LED

1/4" Profile


WOOD ECOLOGICAL PROJECT

Sustainably Sourced

Mix & Match 17 Colors + Acoustic

Integral LED or E26

VICTORIA 75



2023/24



ANNIVERSARY

88 MAXWELL IRVINE, CA 92618 714.259.9959



BruckLighting.com **AlphabetLighting.com**