





ZETA LINEAR

SHOPLINE TRUNK SYSTEM



Shopline, our versatile modular trunking system, caters to a wide range of applications. With linear lenses, specialty optics, and track inserts for Bruck performance spots, it's perfect for grocery, classrooms, and loft-style open workspaces.






FEATURES

- Snap and lock inserts
- Multiple Beam Spread Options
- Inserts for a variety of Bruck track heads and pendants


BENEFITS

- Energy Efficient - 160 Lumens Per Watt
- Maintenance free
- Tool-less, low-cost installation


LENS




30°




60°




90°




120°



Asymmetric (L or R)



Double Asymmetric



Commercial



Loft



Education



Industrial



Retail




Grocery Store




ZETA SHOPLINE TRUNK SYSTEM

example: ZETA - STS - TR - N - UNV - WH

SERIES	TYPE	VOLTAGE	FINISH
ZETA-STS	TR-N 47" trunk, normal, trunk only	UNV 120V-277V	BK black
	TR-E 47" trunk, ender, trunk only		WH white



Trunk - Normal



Trunk - Ender

LIGHT INSERT


example: ZETA - STS - LI - SW - 100LM - 30K - 80 - 30D - UNV - 10V - WH

SERIES	TYPE	LED	DELIVERED LUMENS	CCT	LENS
ZETA-STS	LI 47" light insert	SW static white	70LM 6300 lm 100LM 9500 lm	30K 3000K 35K 3500K	30D 30 degrees, sharp 60D 60 degrees, narrow 90D 90 degrees, wide 120D 120 degrees, flood ASL asymmetric left ASR asymmetric right DAS double asymmetric FD frosted 120° x 120°

VOLTAGE	DIMMING
UNV 120V-277V	10V 0-10V dimming to 5%

FINISH
BK black WH white



DELIVERED LUMENS / LPW	WATTAGE	WATTAGE
CCT	40W	60W
3000K 3500K	6130 lm / 153 lpw 6195 lm / 155 lpw	9275 lm / 155 lpw 9370 lm / 156 lpw



TRACK INSERT

example: ZETA - STS - TI - ECO - 120 - WH


SERIES	TYPE	VOLTAGE	FINISH
ZETA-STS	TI-ECO 47" ECO track insert	120 120V	BK black WH white



BLANK INSERT

example: ZETA - STS - BI - WH


SERIES	TYPE	FINISH
ZETA-STS	BI 47" blank insert	BK black WH white




L FEED CONNECTOR

example: ZETA - STS - TR - LI - WH

SERIES	TYPE	FINISH
ZETA-STS	TR-L1 L connector-left/feed out, right/feed in TR-L2 L connector-right/feed out, left/feed in	BK black WH white





TR-L1 : L Connector - left side/ feed out, right side/feed in



T FEED CONNECTOR

example: ZETA - STS - TR - TI - WH

SERIES	TYPE	FINISH
ZETA-STS	TR-T1 T connector-left/feed in, two sides/feed out TR-T2 T connector-right/feed in, two sides/feed out	BK black WH white




TR-T1 : T Connector - left side/ feed in, TR-T2 : T Connector - right side/ feed in, two sides/feed out

X FEED CONNECTOR

example: ZETA - STS - TR - X1 - WH

SERIES	TYPE	FINISH
ZETA-STS	TR-X1 X connector-one side/feed in, three sides/feed out	BK black WH white



TR-X1 : X Connector - one side/ feed in, three sides/feed out

END CAP

example: ZETA - STS - EC - WH

SERIES	TYPE	FINISH
ZETA-STS	EC end cap, light insert EC1 end cap, track insert EC2 end cap, FD light insert	BK black WH white



EC



EC1




EC2

MOUNTING AND POWER ACCESSORIES

PART NUMBER


ZETA - STS - SC	118" suspension cord
ZETA - STS - CG	cable glide M20
ZETA - STS - FC	feed in connector




NOTE: Max distance between two suspension points is 108".
Factory will consult if additional suspension points are needed.
ex. 5 trunks = 235" (20') will need a min. of 3 support points, but an additional support will be added to maintain linearity.



Cable Glide



Feed in Connector



Suspension Cord

DESIGN GUIDE

PRODUCT KEY

- 1 ZETA - STS - LI - SW - 100LM - 30K - 80 - 60D - UNV - 10V - BK

2 ZETA - STS - TR - LI - BK

3 ZETA - STS - BI - BK

4 ZETA - STS - TI - ECO - BK

5 ZETA - STS - TR - N - BK

6 ZETA - STS - CG

7 ZETA - PLS - SC
- 47" Light insert, 60W - 9600 lm

L Connector, left side / feed out, right side / feed in



47" Blank insert

47" ECO track insert

47" Trunk Insert, ECO track

Cable glide M20

Suspension cord, 118"



DESIGN GUIDE

PRODUCT KEY

- 1 ZETA - SLS - TR - N 47" trunk, normal
- 2 ZETA - SLS - TR - E 47" trunk, ender
- 3 ZETA - SLS - TR - L1 L feed connector, left side / feed out, right side / feed in
- 4 ZETA - SLS - TR - L2 L feed connector, right side / feed out, left side / feed in
- 5 ZETA - SLS - TR - T1 T feed connector, left side / feed in, two sides / feed out
- 6 ZETA - SLS - TR - T2 T feed connector, right side / feed in, two sides / feed out
- 7 ZETA - SLS - TR - X1 X feed connector, one side / feed in, three sides / feed out
- 8 ZETA - SLS - EC/EC1 Light insert or track / blank insert end cap

INSERT OPTIONS


ZETA - SLS - LI 47" Light insert



ZETA - SLS - T1 47" ECO track insert



ZETA - SLS - BI Blank insert



LEDRA BRANDS

2025-2026

88 MAXWELL
IRVINE, CA 92618
714.259.9959



AlphabetLighting.com

